§ 180.565

R-enantiomer, (R)-methyl 7-chloro-2,5-dihydro-2-[[(methoxycarbonyl)[4-(trifluoromethoxy)phenyl] amino]carbonyl]indeno[1,2-e][1,3,4][oxadiazine-4a(3H)-carboxylate.

Apple, wet pomace Alfalfa, forage Alfalfa, hay Beet, garden, roots	3.0 10 50 0.30 6.0
Alfalfa, hay	50 0.30
Beet, garden, roots	0.30
	6.0
Beet, garden, tops	
Bushberry subgroup 13-07B	1.5
Cattle, fat	1.5
Cattle, meat	0.05
Cattle, meat byproducts	0.03
Corn, sweet, forage	10
Corn, sweet, kernel plus cob with husk removed	0.02
Corn, sweet, stover	15
Cotton, gin byproducts	15
Cotton, undelinted seed	2.0
Cranberry	0.90
Fruit, pome, except pear, group 11	1.0
Fruit, stone, group 12	0.90
Goat, fat	1.5
Goat, meat	0.05
Goat, meat byproducts	0.03
Grain, aspirated fractions	45
Grape	2.0
Grape, raisin	5.0
Hog, fat	1.5
Hog, meat	0.05
Hog, meat byproducts	0.03
Horse, fat	1.5
Horse, meat	0.05
Horse, meat byproducts	0.03
Milk	0.00
Milk, fat	4.0
Okra	0.50
Pea, southern, seed	0.30
Peanut	0.10
	40
Peanut, hay	0.20
	0.20
Pear, oriental	
Peppermint, tops	11
Sheep, fat	1.5
Sheep, meat	0.05
Sheep, meat byproducts	0.03
Soybean, hulls	4.0
Soybean, seed	0.80
Spearmint, tops	11
Turnip, greens	12
Vegetable, Brassica, leafy, group 5	12
Vegetable, cucurbit, group 9	0.60
Vegetable, fruiting, group 8	0.50
Vegetable, leafy, except Brassica, group 4	14
Vegetable, tuberous and corm, subgroup 1-C	0.01

(2) Tolerances are established for residues of indoxacarb, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of indoxacarb, (S)-methyl-7-chloro-2,5-dihydro-2-[[(methoxycarbonyl)[4-(trifluoromethoxy)-phenyl]amino]carbonyl]indeno[1,2e] [1,3,4]oxadiazine-4a(3H)-carboxylate, its R-enantiomer, (R)-methyl 7-chloro-2,5-

dihydro-2-[[(methoxycarbonyl)[4-(trifluoromethoxy) phenyl]amino]carbonyl]indeno oxadiazine-4a(3H)-carboxylate, and the metabolites: IN-JT333, methyl 7-chloro-2,5-dihydro-2-[[[4-(trifluoromethoxy)phenyl]amino]carbonyl]indeno[1,2e][1,3,4]oxadiazine-4a(3H)-carboxylate; (E)-methyl 5-chloro-2,3,-IN-KT319. dihydro-2-hydroxy-1-[[[(methoxycarbonyl)[4-(trifluoromethoxy)phenyl]amino]-carbonyl]hydrazono]-1H-indene-2carboxylate; IN-JU873, methyl chloro-2,3-dihydro-2-hydroxy-1-[[[[4-(triflurormethoxy)phenyl]amino]carbonyl]hydrazono]-1Hindene-2-carboxylate; IN-KG433, methyl 5-chloro-2,3,-dihydro-2-hydroxy-1-[[[(methoxycarbonyl)[4-(trifluoromethoxy)phenyl] amino]carbonyl]-hydrazono]-1H-indene-2-carboxylate; and IN-KB687, methyl [4-(trifluoromethoxy)phenyl]carbamate, calculated as the stoichiometric equivalent of indoxacarb in the commodity.

Commodity	Parts per million
Egg	0.20
Poultry, fat	0.20
Poultry, meat	0.06
Poultry, meat byproducts	0.06

- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[65 FR 58424, Sept. 29, 2000, as amended at 67 FR 41807, June 19, 2002; 67 FR 47309, July 18, 2002; 67 FR 58730, Sept. 18, 2002; 68 FR 25830, May 14, 2003; 68 FR 27746, May 21, 2003; 69 FR 28842, May 19, 2004; 69 FR 29459, May 24, 2004; 69 FR 32282, June 9, 2004; 72 FR 37641, July 11, 2007; 74 FR 33165, July 10, 2009; 77 FR 8749, Feb. 15, 2012]

§ 180.565 Thiamethoxam; tolerances for residues.

(a) General. Tolerances are established for residues of the insecticide thiamethoxam, including its metabolites and degradates, in or on the following commodities. Compliance with the tolerance levels specified below is to be determined by measuring only thiamethoxam 3-[(2-chloro-5-thiazolyl) methyl]tetrahydro-5-methyl-N-nitro-

Environmental Protection Agency

4H-1,3,5-oxadiazin-4-imine and its metabolite CGA-322704 N-[(2-chlorothiazol-5-yl)methyl]-N'-methyl-N"nitro-guanidine, calculated as the stoichiometric equivalent of thiamethoxam, in or on the following commodities:

> 0.12 1.2 0.45 0.40 0.4 0.40 0.02 0.30 0.02 3.0 0.50 0.02 0.20 0.35

1.5 0.10

Commodity	Parts per million
Alfalfa, forage	0.05
Alfalfa, hay	0.12
Almond, hulls	1.2
Artichoke, globe	0.45 0.40
AvocadoBarley, grain	0.40
Barley, hay	0.40
Barley, straw	0.40
Bean, succulent	0.02
Berry, low growing, subgroup 13–07G, except cranberry	0.30
Borage, seed	0.02
Brassica, head and stem, subgroup 5-A	4.5
Brassica, leafy greens, subgroup 5-B	3.0
Buckwheat, forage	0.50
Buckwheat, hay	0.02
Buckwheat, straw	0.02
Bushberry subgroup 13-07B, except lingonberry	
and blueberry, lowbush	0.20
Caneberry subgroup 13–07A	0.35
Canistel	0.40
Canola, seed	0.02 0.02
Cattle, meat Cattle, meat byproducts	0.02
Citrus, dried pulp	0.60
Coffee, green, bean 1	0.20
Corn, field, forage	0.10
Corn, field, stover	0.05
Corn, pop, forage	0.10
Corn, pop, stover	0.05
Corn, sweet, forage	0.10
Corn, sweet, kernel plus cob with husks re-	0.02
Corn, sweet, stover	0.05
Cotton, gin byproducts	1.5
Cotton, undelinted seed	0.10
Crambe, seed	0.02
Cranberry	0.02
Flax, seed	0.02
Food commodities and feed commodities (other than those covered by a higher tolerance as a	
result of use on growing crops) in food/feed	
handling establishments	0.02
Fruit, citrus, group 10Fruit, pome, group 11	0.40
Fruit, pome, group 11	0.2
Fruit, small, vine climbing, subgroup 13–07F, except fuzzy kiwifruit	0.20
Fruit, stone, group 12	0.20
Goat, meat	0.02
Goat, meat byproducts	0.02
Grain, aspirated fractions	2.0
Grain, cereal, group 15, except barley	0.02
Grape, raisin	0.30
Hog, meat	0.02
Hog, meat byproducts	0.02
Hop, dried cones	0.10
Horse, meat	0.02
Horse, meat byproducts	0.04
Mango	0.40
Milk	0.02
Millet, pearl, forage	0.02
Millet, pearl, stover	0.02
Millet, proso, forage	0.02
Millet, proso, stover	0.02

Commodity	Parts per million
Millet, proso, straw	0.02
Mustard, seed	0.02
Nut, tree, group 14	0.02
Oat, forage	0.50
Oat, hay	0.02
Oat, straw	0.02
Onion, dry bulb	0.00
Papaya	0.40
Peanut	0.0
Peanut, hay	0.25
Peanut, meal	0.15
Peppermint, tops	1.5
Pistachio	0.0
Potato	0.2
Radish, tops	0.80
Rapeseed, seed	0.02
Rye, forage	0.50
Rye, straw	0.0
Safflower, seed	0.0
Sapodilla	0.40
Sapote, black	0.40
Sapote, mamey	0.40
Sheep, meat	0.0
Sheep, meat byproducts	0.0
Sorghum, forage	0.0
Sorghum, grain, stover	0.0
Soybean, hulls	0.0
Spearmint, tops	1.5
Star apple	0.4
Sunflower	0.0
Tea, dried 1	20
Tomato, paste	0.8
Vegetable, cucurbit, group 9	0.2
Vegetable, fruiting, group 8	0.2
Vegetable, leafy, except brassica, group 4	4.0
Vegetable, legume, group 6	0.0
Vegetable, root, subgroup 1A	0.0
Vegetable, tuberous and corm, except potato,	
subgroup 1D	0.0
Wheat, forage	0.5
Wheat, hay	0.0
Wheat, straw	0.0

¹There are no U.S. registrations as of March 27, 2013.

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

 $[65\;\mathrm{FR}\;79762,\,\mathrm{Dec.}\;20,\,2000]$

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 180.565, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§ 180.566 Fenpyroximate; for residues. tolerances

(a) General. (1) Tolerances are established for residues of the insecticide fenpyroximate, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified in the table is to be determined by